Table des matières

1. 1 - How to choose the default card to Arduino MEGA 3
2. 2 - How to choose the default blocks categories 3

1. 1 - How to choose the default card to Arduino MEGA

You have to edit the file:

```
/generators/arduino/blocklyduino.js
```

and modify the // line 93: //

'' profile[“default”] = profile[“arduino_uno”]; ''

changing ** arduino_uno ** by ** arduino_mega. **

2. 2 - How to choose the default blocks categories

You have to modify the file '' /utils/blocklyDuino.js '' at // line 479. //

You can find the list of blocks categories at '' LoadIds = '' line:

```
// set the default toolbox if none in session
if (loadIds === undefined || loadIds === "") {
loadIds =
"CAT_LOGIC,CAT_LOOPS,CAT_VARIABLES,CAT_FUNCTIONS,CAT_MATH,CAT_TEXT,CAT_ARDUI
NO,CAT_TECHNOZONE";
window.sessionStorage.toolboxids = loadIds;
}
```

You can find the categories list name to write at line ** LoadIds ** in the file '' index.html '' starting // line 246 // in '' “toolboxes definitions” '' .

From:
https://wiki.libreduc.cc/ - **LibrEduc**

Permanent link:
https://wiki.libreduc.cc/en:archives:blockly_rduino:tweak

Last update: **2026/09/26 23:36**