

Table des matières

1. 1 - How to choose the default card to Arduino MEGA	3
2. 2 - How to choose the default blocks categories	3

1. 1 - How to choose the default card to Arduino MEGA

You have to edit the file:

```
/generators/arduino/blocklyduino.js
```

and modify the // line 93: //

```
" profile["default"] = profile["arduino_uno"]; "
```

changing **** arduino_uno **** by **** arduino_mega. ****

2. 2 - How to choose the default blocks categories

You have to modify the file " /utils/blocklyDuino.js " at // line 479. //

You can find the list of blocks categories at " LoadIds = " line:

```
// set the default toolbox if none in session
if (loadIds === undefined || loadIds === "") {
loadIds =
"CAT_LOGIC,CAT_LOOPS,CAT_VARIABLES,CAT_FUNCTIONS,CAT_MATH,CAT_TEXT,CAT_ARDUI
NO,CAT_TECHNOZONE";
window.sessionStorage.toolboxids = loadIds;
}
```

You can find the categories list name to write at line **** LoadIds **** in the file " index.html " starting // line 246 // in " "toolboxes definitions" " .

From:

<https://wiki.libreeduc.cc/> - **LibrEduc**

Permanent link:

https://wiki.libreeduc.cc/en:archives:blockly_rduino:tweak

Last update: **2026/09/26 23:36**

